

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	709/220-223.ccls. and (address\$4 with grouping) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2006/06/09 09:14
L2	8	709/223-232.ccls. and (address\$4 with grouping) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2006/06/09 09:14
S1	15	"x.121" and ((stor\$4 sav\$4) same address\$4) and ((configuration address\$4 rout\$4) near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:33
S2	11	"x.121" and ((stor\$4 sav\$4) same address\$4) and ((configuration address\$4 rout\$4) near4 table) and nam\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 09:04
S3	5	"x.121" and (nam\$4 same (stor\$4 sav\$4) same address\$4) and ((configuration address\$4 rout\$4) near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 08:46
S4	6	("x.121" and ((stor\$4 sav\$4) same address\$4) and ((configuration address\$4 rout\$4) near4 table) and nam\$4) not ("x.121" and (nam\$4 same (stor\$4 sav\$4) same address\$4) and ((configuration address\$4 rout\$4) near4 table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 09:04
S5	9	(address\$4 and wildcard) and ((mac (media adj access adj control)) near10 address\$4) and ((nam\$4 address\$4) same (stor\$4 sav\$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 09:49
S6	198	((mac (media adj access adj control)) near10 address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 11:56

## EAST Search History

S7	25	((mac (media adj access adj control)) near10 address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaioth adj base)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 13:03
S8	5	((mac (media adj access adj control)) near10 address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaioth adj base))) and (address\$4 near10 pool\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 13:37
S9	20	((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaioth adj base))) and ((source adj4 address\$4 ) same (stor\$4 sav\$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/10/03 14:20
S10	317	(address\$4 near7 (portion\$4 position\$4 section\$4 )) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near6 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 09:26
S11	4	((address\$4 near7 (portion\$4 position\$4 section\$4 )) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 ((first second) near5 (portion\$4 position\$4 section\$4 part))) and ((sav\$4 stor\$4) near6 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 09:31
S12	121	((address\$4 near11 (portion\$4 position\$4 section\$4 )) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 12:55

## EAST Search History

S13	140	((left right first second) same (portion\$4 position\$4 section\$4 part) same (replac\$4 substitut\$6 exchang\$5 (in adj place)) same (ip mac address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 13:21
S14	3	(address\$4 near11 wildcard\$4) same (replac\$4 substitut\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 14:53
S15	2	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitut\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4) and (rout\$5 near11 (tabl\$4 databas\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/21 15:42
S16	3	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitut\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4) and (select\$7 same (wildcard\$4 (wild adj card\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 14:00
S17	105	(address\$4 near11 (wild-card\$4 (wild\$4 adj3 card\$4) wildcard\$4)) and (replac\$4 substitut\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 14:05
S18	21	((address\$4 near11 (portion\$4 position\$4 section\$4 )) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitut\$6 exchang\$5) near9 address\$4 near9 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near8 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 14:27
S19	49	((((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)) and (rout\$4 near6 table) and (group\$4 same address\$4) and (dns (domain adj name adj (server system))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 14:28

## EAST Search History

S20	6	((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and ((stor\$4 adj5 forward\$4) same (table database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:04
S21	73	(address\$4 near11 wildcard\$4) and (replac\$4 substitu\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:04
S22	3	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4) and ((stor\$4 sav\$4) near11 address\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:04
S23	69	((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:05
S24	29	((mac (media adj access adj control)) near10 address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:06
S25	20	((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and ((nam\$4 ) same (stor\$4 sav\$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:06
S26	53	((left right first second) same (portion\$4 position\$4 section\$4 part) same (replac\$4 substitu\$6 exchang\$5 (in adj place)) near7 (ip mac address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:08
S27	44	((address\$4 near11 (portion\$4 position\$4 section\$4 ) ) and (right near8 (portion\$4 position\$4 section\$4 part)) and (left near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/27 15:08

## EAST Search History

S28	10	anycast\$4 and (address\$4 same (alter\$6 wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	OR	ON	2004/02/10 15:55
S29	279	("ip6" "ipv6") and (address\$4 same (alter\$6 wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	OR	ON	2004/02/10 16:21
S30	142	("ip6" "ipv6") and (address\$4 same (concat\$4 concatenation prefix\$4 rang\$4))	USPAT	OR	ON	2004/02/10 16:21
S31	108	multicast\$4 and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4) same (left right first second))	USPAT	OR	ON	2004/07/06 12:23
S32	16	(multicast\$4 and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4) same (left right first second))) and (address\$4 with substitu\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 11:49
S33	323	"709"/\$.ccls. and (multi-cast\$4 multicast\$4) adj address\$4	USPAT	OR	ON	2004/07/06 13:01
S34	33	("709"/\$.ccls. and (multi-cast\$4 multicast\$4) adj address\$4) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	OR	ON	2004/07/06 15:00
S35	24	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/06 14:59
S36	205	(address\$4 with grouping) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	OR	ON	2004/07/06 15:01

## EAST Search History

S37	6	"709"/\$.ccls. and (address\$4 with grouping) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	OR	ON	2004/07/07 11:24
S38	161	"709"/\$.ccls. and (address\$4 with rang\$4) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2005/02/16 11:07
S39	17	"709"/\$.ccls. and (address\$4 with grouping) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2005/02/16 11:05
S40	1	fuzzycast\$4 and (address\$4 same (alter\$6 wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	OR	ON	2004/07/07 10:56
S41	50	"709"/\$.ccls. and (address\$4 near group) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	OR	ON	2004/07/07 11:29
S42	77	"709"/\$.ccls. and (address\$4 with (subnet\$4 sub-net\$4)) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	OR	ON	2005/02/16 11:04

## EAST Search History

S43	63	("709"/\$.ccls. and (address\$4 with (subnet\$4 sub-net\$4)) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))) not ("709"/\$.ccls. and (address\$4 near group) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4)))	USPAT	OR	ON	2004/07/07 11:30
S44	16	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/07 14:47
S49	1	713/150-163.ccls. and (address\$4 with (subnet\$4 sub-net\$4)) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	OR	ON	2005/02/16 11:05
S50	6	709/223-232.ccls. and (address\$4 with grouping) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2005/02/16 11:10
S51	9	713/150-163.ccls. and (address\$4 with rang\$4) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2005/02/16 11:07
S52	4	709/220-223.ccls. and (address\$4 with grouping) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2005/02/16 11:10

## EAST Search History

S53	0	709/200.ccls. and (address\$4 with grouping) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2005/02/16 11:10
S54	101	nortel.as. and (character) and address\$4 and group\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:46
S55	1	(ALLEN.in. CRUMP.in.) and nortel.as. and (character) and address\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:30
S56	5	("5940870"   "6006258"   "6141690"   "6243380"   "6262988").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/26 14:40
S57	0	S56 and (character) and address\$4 and group\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:46
S58	2	S56 and (character group\$4) and address\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:48
S59	2	S56 and (character group\$4 cluster\$4) and address\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:48
S60	11	713/150-163.ccls. and (address\$4 with rang\$4) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2005/10/31 09:12
S61	4	709/220-223.ccls. and (address\$4 with grouping) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2005/10/31 09:12



## EAST Search History

S62	6	709/223-232.ccls. and (address\$4 with grouping) and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation character prefix\$4 group rang\$4))	USPAT	OR	ON	2005/10/31 09:13
S63	5	("5692194" "5030948" "5832471" "5995971" "5926652").pn. and (wild\$4 character) and address\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:36
S64	5	("5692194" "5030948" "5832471" "5995971" "5926652").pn. and (wild\$6 character) and address\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 14:36
S65	2	"5926652".pn. and (character wild\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 18:35
S66	2	"5832471".pn. and (character wild\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 18:36
S67	2	"5995971".pn. and (character wild\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 15:23
S68	2	"5995971".pn. and (character wild\$4) and address\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 15:23
S69	2	"5995971".pn. and ((character wild\$4) same address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 16:24
S70	2	"5995971".pn. and rout\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 16:24